



Cornell University Library

BOUGHT WITH THE INCOME
FROM THE

SAGE ENDOWMENT FUND
THE GIFT OF

Henry W. Sage

1891


A.716.31

10/7/94.

CORNELL UNIVERSITY LIBRARY



3 1924 053 948 992



Cornell University Library

The original of this book is in
the Cornell University Library.

There are no known copyright restrictions in
the United States on the use of the text.

ILLUSTRATIONS
OF
BRITISH FUNGI.

ILLUSTRATIONS
OF
BRITISH FUNGI
(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

President of the Quekett Microscopical Club, and of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine; and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; the Birmingham Natural History Society; and other Societies.

VOL. IV.

London :

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1884-1886.



M.C.C.

12 X 6

AGARICUS (HEBELOMA) MUSSIVUS. Fries.
in pine woods Ascot. Oct., 1881.



glutinosus.



10 X 6

M.C.C.

AGARICUS (HEBELOMA) FASTIBILIS. Fries.
in clusters on the ground. Kew Gardens, Oct., 1883.





10 X 6

M.C.C.

AGARICUS (HEBELOMA) SENESCENS. *Batsch.*
under fir trees. Costarphae. Sept., 1879.

very viscid.



10-12 X 5



M.C.C.



AGARICUS (HEBELOMA) GLUTINOSUS. Lindg.
on the ground. Haywood Forest. Sept. 1881.



10 X 5-6



W.P.



AGARICUS (HEBELOMA) TESTACEUS. Batsch.
on the ground, in woods. Coed Coch. Oct., 1879.



R.E.B.

AGARICUS (HEBELOMA) FIRMUS. Pers
on the ground. Sibbertoft. Feb 8, 1882.



viscid.



10-11 X 5

M.C.C.

AGARICUS (HEBELOMA) CLAVICEPS. *Fries.*
on the ground. *Kew Gardens.* Oct., 1883.



viscid.




M.C.C.

R.E.B

AGARICUS (HEBELOMA) MESOPHÆUS. Fries.
 on the ground. Dinmore, &c Sept., 1883.





8-10 X 4-5

AGARICUS (HEBELOMA) MESOPHÆUS Fr. forma MINOR.
amongst grass, in woods, &c. Sept., 1882.



odour and taste strong like Polyporus squamosus



somewhat viscid



W.G.S.



AGARICUS (*HEBELOMA*) SUBCOLLARIATUS. B. & Br. (variety).
grassy roadsides after rain. Stoke Newington. May, 1871.



12 X 7

M.C.C.

AGARICUS (HEBELOMA) SINAPIZANS. *Frös.*
on the ground. Mattishall. Oct., 1883.



odour strong



M.C.C.

AGARICUS (HEBELOMA) CRUSTULINIFORMIS. Bull.
on the ground. Alresford, Hants. Sept. 1878.



viscid



10-12 X 6

AGARICUS (*HEBELOMA*) CRUSTULINIFORMIS *Fries, forma MINOR.*

amongst grass on lawn. Pleasure grounds. Kew.





M.J.B.

AGARICUS (HEBELOMA) LONGICAUDUS. Fries.
on the ground, in woods Northamptonshire.



viscid



10 X 5

H.G.B.

AGARICUS (HEBELOMA) LONGICAUDUS Fr. var. RADICATUS.
 amongst fir leaves. Dinedor Camp. Sept., 1871.





12-13 X 5-7

Boudier.

AGARICUS (HEBELOMA) TRUNCATUS. Schaff.
on the ground, in woods, thickets, &c.



Stem rather mealy.



12 X 6



M.C.C.

AGARICUS (HEBELOMA) NUDIPES. *Fries.*
 on the ground. Tunnel Wood, Watford. Oct., 1883.





M.C.C.

AGARICUS (HEBELOMA) CAPNIOCEPHALUS Bull.
amongst pine leaves. (Miss Berkeley.)





AGARICUS (HEBELOMA) MAGNIMAMMA. Fries.
 on naked soil. Sept. 1881.



AGARICUS (HEBELOMA) PETIGINOSUS. Fries.
 amongst grass. Near Hereford. Oct. 1879.







T.H.

AGARICUS (FLAMMULA) GYMNPODIUS. *Fries.*
on pine sawdust. Munstead. (T. Howse).





R.E.B.

AGARICUS (FLAMMULA) VINOSUS. Bull.
 on the ground Sibbertoft. 1883.





M J B.

AGARICUS (FLAMMULA) FLOCCIFER. Berk.
on lime stumps. Colleyweston.



W.G.S.

AGARICUS (FLAMMULA) DECIPIENS. Smith.
on charred ground. Epping Forest.



pileus dry



W.G.S.

AGARICUS (FLAMMULA) CLITOPILUS. Cooke & Smith.
amongst firs. Stonehouse, Gloucester. Nov. 1867.





M.C.C.



AGARICUS (FLAMMULA) LENTUS. *Fries. Short stemmed form, amongst fir leaves. Glamis. Nov. 1881.*



M.C.C.

AGARICUS (FLAMMULA) LENTUS. Fries. Long stemmed form.
on the ground. Glamis. Nov. 1881.

taste unpleasant



W.G.S.

AGARICUS (FLAMMULA) MIXTUS. Fries.
 on stumps, and on the ground. Bowood, Wilts. Nov. 1870.



taste nauseous



W.G.S.



AGARICUS (FLAMMULA) JUNCINUS. *Smith.*
 amongst dead rushes. North Wootton. *Nov. 1870.*



R.E.B.

AGARICUS (*LANMIA*), GUMMOSUS. Eries.
on the ground Coed Coch 1883





M.C.C.



AGARICUS (FLAMMULA) SPUMOSUS. *Fries.*
on naked ground. *Kew Gardens.* Nov. 1880.



M.C.C.

AGARICUS (FLAMMULA) CARBONARIUS. Fries.
on charred ground. Kew Gardens, Dec. 1882.



very viscid.



M.C.C.

AGARICUS (FLAMMULA) FILIUS. *Fries.*
on the ground. Haywood Forest. Oct. 1882.



viscid.



M.C.C.



AGARICUS (*FLAMMULA*) FUSUS. Batsch.
 on the ground, and stumps. Worthing. Nov. 1882. (C.B.P.)



R.E.B.



AGARICUS (FLAMMULA) FUSUS. Batsch. Variety.
on the ground. Sibbertoft. Nov. 1883.



M. C. C.

AGARICUS (FLAMMULA) ASTRAGALINUS. *Fries.*
on mossy Pine stumps. Glamis Oct. 1881.





H.G.B.

AGARICUS (FLAMMULA)
on stumps and trunks.

ALNICOLA. *Fries*
Epping Forest.



DERMINI.



AGARICUS (FLAMMULA) FLAVIDUS. *Fries.*
on stumps in the ground. Chingford. 1882.



taste mild



W.G.S.

AGARICUS (FLAMMULA) INAURATUS. *Smith.*
on willows. North Wootton. Nov. 1870.





AGARICUS. (*FLAMMULA*) CONISSANS. *Fries.*
on willow trunks. Sutton Park,



.

.

.



M.C.C.

G.M.



AGARICUS (FLAMMULA) INOPUS. Fries.
on fallen firs, and amongst fir leaves.



odour faint.



M.C.C.

AGARICUS (FLAMMULA) APICREUS. Fries.
on trunks. Coed. Coch. Oct. 1881.



hygrophanous.



G.M.

AGARICUS (FLAMMULA) HYBRIDUS.
on mossy stumps. Scarboro.'

Fries.
 1884.





M.C.C.

AGARICUS (FLAMMULA) SAPINEUS. Fries.
 on dead sticks. Black Park, Langley. Sept. 1882.





M.C.C.

AGARICUS (FLAMMULA) PICREUS. Fries.
on fir stumps. Ascot. 1882.






G.M.

AGARICUS (FLAMMULA) OCHROCHLORUS Fries.
 on rotten wood. Scarboro?



viscid



10 x 6

AGARICUS (FLAMMULA) HELOMORPHUS. Fries.
amongst moss. Mossburnford.



M.C.C

AGARICUS (FLAMMULA) SCAMBUS. Fries.
on naked ground, and rotten wood. Penicuik, N.B.







H.G.B.

AGARICUS (*NAUCORIA*) *CIDARIS*. *Fries.*
on the ground. Rotherwas. Nov. 1872.







R.E.B.

AGARICUS (NAUCORIA) CUCUMIS. Pers.
amongst sawdust, &c. Sibbertoft. 1883





AGARICUS (NAUCORIA) ANGUINEUS. Fries.
on the ground in woods. Fordingbridge.




A



AGARICUS (NAUCORIA) CENTUNCULUS. *Fries.*
on rotten beech wood. *Epping.*

B



AGARICUS (NAUCORIA) HORIZONTALIS. *Bull.*
on bark of trees, chiefly elm. *Burghley Park.*


A



S. long


AGARICUS (NAUCORIA) SEMIFLEXUS. *B & Br.*
on branches, and the ground.

B



AGARICUS (NAUCORIA) RIMULINCOLA. *Rabh.*
on twigs. Ascot. Oct. 1869.

C



M.C.C.

AGARICUS (NAUCORIA) RUBRICATUS. *B & Br.*
on bramble. Hereford. 1879.





10 X 5

M.C.C.

AGARICUS (*NAUCORIA*) ABSTRUSUS. *Fries.*
 on leaf soil in woods. Darenth, Kent.





A



AGARICUS (NAUCORIA) INNECUS L.:
in damp places

B



M.C.C.

AGARICUS (NAUCORIA) CERODES. Fr.:
among grass. Kew Garden. May, 1853





M.C.C.


AGARICUS (NAUCORIA) MELINOIDES Bull.
amongst short grass. Loughton. Nov. 1881.



R.E.E.

AGARICUS (NAUCORIA) PUSIOLUS. Fries.
on the ground and amongst moss.





after Bolton

A

B


B

10-12 X 6-8

W.G.S.

(A) AGARICUS (NAUCORIA) NUCEUS. Bolton.
 (B) AGARICUS (NAUCORIA) GLANDIFORMIS. Cooke.
 Teignmouth. Oct. 1887.





AGARICUS (*NAUCORIA*) *BADIPES*. *Fries.*
in damp woods. Holm Lacey.




10 X 6

M.C.C.

AGARICUS (*NAUCORIA*) *SCOLECINUS*. *Fries.*
amongst dead leaves, &c., of alder.



stem shining, striate



8 X 4

M.C.C.

AGARICUS (NAUCORIA) STRIÆPES. Cooke.
 amongst grass on lawn. Kew Gardens. Nov. 5, 1884.



DERMINI.

rather viscid



AGARICUS (NAUCORIA) SIDEROIDES. Bull.
 on trunks and chips. Dorking.



M.C.C.

AGARICUS (NAUCORIA) TRISCOPUS. Fries.
 on old timber in a cellar. Killburn. 1882.



A



AGARICUS (NAUCORIA) VERVACTI. Fries.
 in fallow fields. Apethorpe

B



W.P.

AGARICUS (NAUCORIA) TENAX. Fries.
 Coed Coch. Oct., 1879.



DERMINI.



M.C.C.

AGARICUS (NAUCORIA) PEDIADES. Fries.
 in pastures. Clingford. 1883.



slightly viscid



W.G.S.

AGARCUS (*NAUCORIA*) ARVALIS. Smith (not Fries).
amongst sand. Great Yarmouth. July 1871.





AGARICUS (*NAUCORIA*) SEMIORBULARIS. Bull.
amongst short grass. Kew Gardens.



AGARICUS. (*NAUCORIA*) TABACINUS. Fries.
amongst short grass. Kew Gardens.

M.C.C.



viscid



G.M.

AGARICUS (NAUCORIA) MYOSOTIS. Fries. MAJOR.
in peat mosses, on moors. Near Scarboro'. Aug. 1884.



hygrophanous



12 x 6

M.C.C.



AGARICUS (NAUGORIA) TEMULENTUS. Fries.
moist places in woods. Cowarne Court, Hereford. Sept. 1884.

DERMINI.



W.G.S.

AGARICUS (NAUCORIA) LATISSIMUS. Cooke.
in a churchyard. Ely. Sept. 1870.





M.C.C.

AGARICUS (NAUCORIA) PORRIGINOSUS. *Fries.*
amongst rubbish, &c. Woodnewton. Oct. 1868.



veil appendiculate



R.E.B.


A

B

var. DISPERSUS, P.

AGARICUS (NAUCORIA) SOBRIUS. Fries.
on the ground, under bushes. Sept. 1883.





DERMINI.



H.G.B.

AGARICUS (NAUCORIA) ERINACEUS. Fries.
 on branches. Castle Rising. April 1872.



M.C.C.

AGARICUS (NAUCORIA) SIPARIUS. Fries.
 on fern stems, twigs, &c. Darenth Wood, Kent.





A



AGARICUS (*NAUCORIA*) *CONSPERSUS*. Pers.
on sunny slopes. Dinmore. Sept. 1884.


B




M.C.C.


AGARICUS (*NAUCORIA*) *ESCHAROIDES*. Fries.
in moist woods. Apethorpe. Sept.







AGARICUS (*NAUCORIA*) CARPOPHILUS. Fr.
 on beech mast, leaves, &c. Chingford.



AGARICUS (*NAUCONIA*) GRAMINICOLA. Nees.
 on straw, grass, twigs, &c. Weybridge.

M.C.C.



viscid

M.J.B.



AGARICUS (*PLUTEOLUS*) RETICULATUS. Pers.
on old trunks.





1884



M.C.C.

AGARICUS (GALERA) LATERITIUS, Fries.
 in grassy places. Near Bristol and Hereford. 1884.








M.C.C.

var. PILOSELLUS.

AGARICUS (GALERA) TENER. Schæff.
 amongst grass in woods, &c. Epping Forest. 1884.





stem striata



10X8

M.C.C.

AGARICUS (GALERA) OVALIS. Fries.
on ground, near Lyndhurst Station, New Forest. Oct. 1883.



hygrophanous and atomate



M.C.C.

16X8

AGARICUS (GALERA) ANTIPUS. Lasch.
in gardens, and on dung.



after Bolton

AGARICUS (GALERA) CONFERTUS. Bolton.
in stoves and greenhouses. Habifax.




D. S. 1



M.C.C.


AGARICUS (*GALERA*) SPARTEUS. *Fries.*
 amongst moss, &c. Haywood Forest.



M.C.C.

AGARICUS (*GALERA*) PYGMÆO-AFFINIS. *Fries.*
 at base of trunks. Fordingbridge. 1882.





stem minutely hispid.



M.J.B.

AGARICUS (GALERA) VITTÆFORMIS. Fries.
amongst moss. Sibbertoft.



M.C.C.

AGARICUS (GALERA) RUBIGINOSUS. Pers. MINOR.
amongst moss. Epping Forest. Oct. 1884.







M.C.C.

AGARICUS (GALERA) HYPNORUM. Fries.
amongst moss and sphagnum. Epping.





14 X 6

AGARICUS (GALERA) MNIOPHILUS. Lasch.
 amongst moss. Epping. Oct. 1884.



X3

6 X 4

AGARICUS (GALERA) MINUTUS. Quelet.
 amongst rubbish. Wrotham. Oct. 1883.



A



AGARICUS (GALERA) RAVIDUS. *Fries.*
amongst chips.

B



AGARICUS (GALERA) MYCENOPSIS. *Fries.*
amongst mosses.

M.C.C.



edge of gills serrulate



M.C.C.

AGARICUS (TUBARIA) CUPULARIS. Bull. (VARIETY.)
amongst grass. Dinmore. Sept., 1884.



M.J.B.



AGARICUS (TUBARIA) FURFURACEUS. Pers.
on the ground, and on chips. Haywood Forest.





8 X 5

M.C.C.

AGARICUS (TUBARIA) FURFURACEUS var. TRIGONOPHYLLUS.
 amongst grass. Chingford. Nov. 2, 1883.





10 X 4

M.C.C.

AGARICUS (*TUBARIA*) PALUDOSUS. *Fries.*
amongst sphagnum. Keston Common.





M.C.G.

AGARICUS (TUBARIA)
amongst sphagnum, in bogs.

STAGNINUS. Fries.
Epping Forest. 1879.






A



H.B.

AGARICUS (TUBARIA) EMBOLUS. *Fries.*
 amongst grass. *Abergavenny. Nov. 1871.*

B



M.C.C.

AGARICUS (TUBARIA) AUTOCHTHONUS. *B. & Br.*
 amongst grass, *Skobden.*





M.C.C.

AGARICUS (TUBARIA) CROBULUS. Fries.
 on chips and sticks. Credenhill. Sept. 1862.





viscid when moist




W.G.S.


AGARICUS (TUBARIA) INQUILINUS. Fries.

(A) on sticks. Dinedor. (B) on ferns. Chelsea. 1870.






M.J.B.




AGARICUS (CREPIDOTUS) MOLLIS. Schaef.
on logs.





AGARICUS (*CREPIDOTUS*) ALVEOLUS. *Lasch.*
on trunks. *Alnwick.* 1878.




M.C.C.

AGARICUS (*CREPIDOTUS*) CALOLEPIS. *Fries.*
on trunks of aspen. *Autumn.*






A



foreign specimens


AGARICUS (CREPIDOTUS) HAUSTELLARIS. Fr.
on poplar trunks.

B



AGARICUS (CREPIDOTUS) RUBI. B. & Br.
on bramble.

C



AGARICUS (CREPIDOTUS) PHILLIPSII. B. & Br.
on grass.

D




AGARICUS (CREPIDOTUS) CHIMONOPHILUS. B. & Br.
on dead branches of Sorbus.





A



M.J.B.


AGARICUS (CREPIDOTUS) EPIGÆUS. Pers.
on clay ground. Hothorpe. Nov. 1881.

B




AGARICUS (CREPIDOTUS) RALFSII. B. & Br.
on rotten wood. Penzance.

C



AGARICUS (CREPIDOTUS) EPIBRYUS. Fries.
on leaves, moss, &c.

D




Herb Berk

AGARICUS (CREPIDOTUS) PEZIZOIDES. Nies.
on rotten wood. Warwickshire.









W.G.S.

AMPHICRYPTUS PALLIOLATUS FRINGS.
in an orchard. Staplehurst, Kent. Aug. 1869.





AGARICUS (*PSALLIOTA*) *ELVENSIS*. *Berk & Br.*
under oaks. Neasden. Sept. 1881.



AGARICUS (PSALLIOTA) ARVENSIS. Schæff.
in damp marshes. Northamptonshire.



PRATELLI.



W.G.S.



AGARICUS (PSALLIOTA) ARVENSIS. Schf. var. PURPURASCENS.
 on the ground. Deerfold Forest. Sept., 1869.



M.C.C.

AGARICUS (PSALLIOTA) CRETACEUS. Fries.
in grassy places. King's Lynn. Feb. 1883.





M.C.C.

AGARICUS (PSALLIOTA) PRATENSIS. Schæff.
amongst grass. Pulborough, Sussex. Oct. 1874.



AGARICUS (PSALLIOTA) CAMPESTRIS. Linn.
in parks and pastures. Everywhere.










M.C.C.



AGARICUS (PSALLIOTA) CAMPESTRIS. Linn. var. HORTENSIS.
cultivated variety.






A

B

R.E.B.

var. COSTATUS.



var. EXANNULATUS

AGARICUS (PSALLIOTA) CAMPESTRIS. Linn. (VARIETIES.)
 A. Penzance. B. Mattishall, Norfolk.








W.G.S.

AGARICUS (PSALLIOTA) CAMPESTRIS. Linn. var. SYLVICOLA. Vitt.
in woods. Bishop's Wood, Hampstead. Aug. 1865.





PRATELLI.



$\frac{2}{3}$

AGARICUS (PSALLIOTA) CAMPESTRIS. *Lin. var. VILLATICUS. Brond.*
on the ground. Northamptonshire.






66
66
66
66
66
66
66
66
66
66

M.C.C.

AGARICUS (PSALLIOTA) SYLVATICUS. Schöff.
A. *Pleasure Grounds, Kew.* B. *Pulborough, Sussex.*





AGARICUS (PSALLIOTA) HÆMORRHOIDARIUS. *Kütz.*
under trees. near Hereford. Oct. 1881.





M.C.C.



AGARICUS (PSALLIOTA) SUBGIBBOSUS. Fries. (VARIETY)
amongst grass. *Pleasure Grounds, Kew. Sept. 1884.*



M.C.C.

AGARICUS (PSALLIOTA) COMTULUS. Fries.
 amongst grass. Kew Gardens. Sept. 1882.






18 X 8

G.M.



AGARICUS (PILOSACE) ALGERIENSIS. *Fries.*
 on ground amongst ferns. *Scarboro.' Aug., 1885.*







AGARICUS (STROPHARIA) PERCEVALI. B. & Br.
on sawdust. Northumberland. Oct. 1878.

glutinous

10X5

AGARICUS (STROPHARIA) ÆRUGINOSUS. *Curtis.*
 amongst dead leaves. *Queen's Cottage, Kew. Nov. 1880.*





AGARICUS (STROPHARIA) ALBO-CYANEUS. Desm.

(A) Hampstead. Oct. 1863. (B) Castle Rising Heath. Oct. 1883.





glutinosus

8X6

M.C.C.

AGARICUS (STROPHARIA) INUNCTUS. Fries.
amongst grass. Near Hereford. Sept. 1883.





A

10X5

B

M.C.C.

R.E.B.

= *A. melaspermus*. Fries.

AGARICUS (STROPHARIA) CORONILLUS. Bull.

(A) Coventry. Sept. 1884. (B) Penzance. Sept. 1882.





M.C.C.

AGARICUS (STROPHARIA) MELIOPHANS Bull.
amongst grass. Lyndhurst. Sept. 1882.





M.C.C.

12-14 X 7

AGARICUS (STROPHARIA) SQUAMOSUS. Fries
amongst chips, &c. Queen's Cottage, Kew. Oct. 1882.





12X6

M.C.C.

AGARICUS (STROPHARIA) THRAUSTUS. *Katoh.*
 in open places. *Arboretum, Kew.* Nov. 1880.





H.C.C.

AGARICUS (STROPHARIA) THRAUSTUS var. AURANTIACUS.
on the ground. Tunnel Wood, Watford. Oct. 1883.





M.C.C.



7X4½

W.G.S.

AGARICUS (STROPHARIA) WORTHINGTONI. Fries.
 amongst grass. Highbeach. Nov. 1881.



glutinous





M.C.C.



AGARICUS (STROPHARIA) LUTEO-NITENS. Fr. es.
 on sawdust, dung, &c. Crackley Wood, Kenilworth. Sept., 1885.





M.C.C.



W.G.S.

AGARICUS (STROPHARIA) MERDARIUS. Fries.
on dung. Fordingbridge and Sibbertoft. 1881.





M.C.C.

20X 10




AGAPICUS (STROPHARIA) STEPCORARIUS. Fries.
on dung. Loughton. Sept. 1882.



AGARICUS (STROPHARIA) SEMI-GLOBATUS. *Ratsch.*
on dung. *Chingford.* *Sept.* 1882.





M.C.C.



AGARICUS (STROPHARIA) CAPUT-MEDUSÆ. Fries.
 at the base of trunks. Glamis. Sept. 1883.



M J B.

AGARICUS (STROPHARIA), JERDONI, B. & Br.
on chips Mossburnford. Nov. 1860.







M.C.C.



AGARICUS (STROPHARIA) SPINTRIGER. Fries.
on stumps. Loughton. Sept. 1882.



G.M.

AGARICUS (STROPHARIA) HYPSSIPUS. *Fries*
on ground amongst moss. Forest Hill Oct 1885



taste bitter



8X4

M.C.C.

AGARICUS (HYPHOLOMA) SUBLATERITIUS. Schaff.
on stumps. Chingford. Nov. 1883.



bitter



8X4

M.C.C.



AGARICUS (HYPHOLOMA) SUBLATERITIUS. Schæff. var. SQUAMOSUS.
on trunks. Tunnel Wood, Watford. Oct. 1883.

odour and taste mild



M.C.C.



AGARICUS (HYPHOLOMA) CAPNOIDES, *Arves.*
on stumps. Arboretum, Kew. Nov. 1880.

olidus



7x4

W.G.S.



AGARICUS (HYPHOLOMA) EPIXANTHUS. *Fries*
on stumps, and fallen trees.

very bitter

7X4

M.C.C.

AGARICUS (*HYPOLYMA*) FASCICULARIS. *Hudson.*
on stumps. Epping Forest. Oct. 1880.



bitter



M.C.C.



AGARICUS (*HYPHLOMA*) FASCICULARIS. *Fries, var. ELÆODES. Bull.*
on stumps. Stoke Pogis.



M.C.C.

AGARICUS (HYPHOLOMA) DISPERSUS. *Fries.*
on the ground. *Highbeeck.* Nov., 1881.



glutinous

A



H.G.B.

AGARICUS (HYPHOLOMA) OEDIPUS. Cooke.
on rotten sticks. Clehanger. Feb., 1872.



B

M.C.C.

AGARICUS (HYPHOLOMA) PUNCTULATUS. Kalm.
on sandust. Coed Coch. 1882.





M.C.C.

Cornell
University
Libraries

Ag. hypoxanthus. Plow.

AGARICUS (HYPHOLOMA) STOREA. Fries, var. CAESPITOSUS.
on beech stump. Lyndhurst, New Forest. Oct. 1883.





10-11 X 6

M.C.C.

AGARICUS (HYPHCLOMA) LACRYMABUNDUS. *Fries.*
 on naked ground. Cuckoo Pits, Epping Forest. Oct. 1883.





10 x 5

M.C.C.

AGARICUS (HYPHULOMA) VELUTINUS. *Fræs.*
 amongst grass. Neasden, Middlesex. Sept. 1882.







Spores
11X6

M.C.C.

AGARICUS (HYPHOLOMA) PYRRHOTRICHUS. Fries.
on the ground. Dinmore. Sept. 1884.



gregarius




M.J.B.

AGARICUS (*HYPHLOMA*) *CASCUS*. Fries.
in grassy places. Margate, etc



subsolitary



M.C.C.

AGARICUS *HYPHOLOMA* LANARIPES. Cooke.
on soil in conservatories. Highgate. 1862.



306

gregarious



M.C.C.

AGARICUS (HYPHOLOMA) CANDOLLEANUS. Fræs.
 in grassy places. Neasden. Sept. 1882.





4.

caespitose



AGARICUS (HYPHOLOMA) APPENDICULATUS. Bull.
 on buried stumps. Chingford. Oct. 1883.



cæspitose



10-12 X 7

M.C.C.

AGARICUS (*HYPHOLOMA*) LEUCOTEPHRUS B. & Br.
 at base of stumps. Batheston. Sept. 21, 1884.



A



AGARICUS (HYPHOLOMA) EGENULUS. B. & Br.
amongst grass. Apethorpe. Spring.

B



W.G.S.

AGARICUS (HYPHOLOMA) HYDROPHILUS Bull.
at base of trees. New France. Oct. 1632.





C.B.

AGARICUS (*PSILOCYBE*) SARCOCEPHALUS. *Eries.*
in woods. Leigh Wood, Bristol.





M.C.C.

AGARICUS (PSILOCYBE) SARCOCEPHALUS. Fr.
 at base of trunks. Crackley Wood, Kenilworth. Sept., 1885.





9-10 X 5

M.C.C.

AGARICUS (*PSILOCYBE*) ERICÆUS. Pers.
 in swampy places. Barnes Common, Sept. 1882.






M.C.C.

AGARICUS (*PSILOCYBE*) SUB-ERICÆUS. *Fræs.*
 on the ground. Kew Gardens. June, 1882.





10 X 5

M.C.C.

AGARICUS (PSILOCYBE) UDUS. *Persoon.*
amongst Sphagnum. *Epping Forest.* Nov. 1880.





W.G.S.

10-17 X 8

AGARICUS (HYPHOLOMA) CANOFACIENS Cooke.
 on rotten straw. Stoke Newington. May, 1867.





12-13x8

W.G.S.

AGARICUS (PSILOCYBE) AREOLATUS. Klotzsch.
on garden beds. Millmay Park, London. Aug. 1869.





AGARICUS (*PSILOCYBE*) AGRARIUS. *Fries.*
on the ground. Shrewsbury. Aug., 1882.





M.C.C.

AGARICUS (*PSILOCYBE*) SCOBICOLA. B. & Br.
on sawdust.





A




7 X 3½

AGARICUS (PSILOCYBE) CHONDRODERMUS. B. & Br.
on pine wood. Glamis. 1874.



12 X 8

B



M.C.C.


AGARICUS (PSILOCYBE) AMMOPHILUS. Mont.
amongst sand. St. Andrews. 53





A

AGARICUS (PSILOCYBE) COPROPHILUS. Bull.
on dung. Hampstead Heath.



B


M.J.B.

AGARICUS (PSILOCYBE) BULLACEUS. Bull.
on rich soil and old dung. Sept. 1862.





AGARICUS (PSILOCYBE) PHYSALOIDES. Bull.
on swampy ground. Croydon.



AGARICUS (PSILOCYBE) NUCISEDUS. Fries.
on beech mast. Penzance.





AGARICUS (*PSILOCYBE*) ATRO-RUFUS. Schæff.
 amongst grass. Near Birmingham. Dec. 1884.



A



M.J.B.

AGARICUS (PSILOCYBE) COMPTUS. *Fries.*
 in woods. *Collyweston.*

B




16 X 7

AGARICUS (PSILOCYBE) HEBES. *Fries.*
 in beech woods. *Hothorp.*



poisonous



M.C.C.

10-12 x 6

AGARICUS (*PSILOCYBE*) SEMI-LANCEATUS. *Fries.*
amongst grass, in pastures, &c. Manchester. Oct. 1876.





poisonous



M.C.C.

10-12 X 6

AGARICUS (*PSILOCYBE*) SEMI-LANCEATUS. *Fries, var. CÆRULESCENS.*
in pastures. Neighbourhood of London. Sept. 1880.



PRATELLI.



M.C.C.

Boletus edulis (Pers.) Spar. DIC. 1792
Boletus edulis (Pers.) Spar. DIC. 1792





M. J. B.

AGARICUS (PSILOCYBE) CERNUUS. Fl. Dan.
amongst chips, dead leaves, &c. King's Cliffe. 1883.





M. J. B.

AGARICUS (PSILOCYBE) FENISECII. 21.
amongst grass. King's Oliffe.





14 X 7

R.E.B.

AGARICUS (PSATHYRA) CONOPILEUS. Fries.
in gardens, &c. Sibbertoft. Sept. 1883.






A

M.J.B.

AGARICUS (PSATHYRA) MASTIGER. B. & Br.
 on roadside amongst grass. Apethorpe. Sept., 1860.



B

M.J.B.

AGARICUS (PSATHYRA) GLAREOSUS. Berk
 on gravelly soil. Sibbertoft





12-14 X 6

R.E.B.

AGARICUS (*PSILOCYBE*) CORRUGIS. Fries.
 amongst leaves, &c. Sibbertoft. Sept. 1884.





M.C.C.

AGARICUS (PSATHYRA) CORRUGIS. *Fr. var. VINOSUS.* Corda.
 amongst grass. Kew Gardens. Sept., 1880.





R.E.B.

AGARICUS (PSILOCYBE) PELLOSPERMUS. Bull.
 in gardens. Woodnewton. Sept. 1884.





M.J.B.

AGARICUS (PSATHYRA) SPADICEO-GRISLUS. *Reb. J.*
on trunks, or on the ground. Northamptonshire.





6-7 X 4

AGARICUS (PSATHYRA) OBTUSATUS Flourens
in *Veget. Ital.* 1823, p. 60, t. 1, f. 10.



A



M.J.B.

B



W.P.

AGARICUS (PSATHYRA) BIFRONS. B. & Br.
 A. Typical form. B. var. SEMITINCTUS. Phillips.
 amongst chips.





dry


moist

10-12 X 5

M.C.C.

AGARICUS (PSATHYRA) SEMI-VESTITUS. B. & Br.
on rubbish heaps. Kew Gardens, Oct. 1883.





A

M.J.B.

AGARICUS (PSATHYRA) FATUUS. Fries.
in gardens.




B

M.J.B.

AGARICUS (PSATHYRA) FIBRILLOSUS. Fries.
in damp woods.







12x6

M.C.C.

AGARICUS (PSATHYRA) HELOBIUS. *Kalch.*
in moist pine woods. *Coed Coch.* Sept. 1884.



odour nauseous

A



M.J.B.

AGARICUS (*PSATHYRA*) GORDONI. Berk. & Br.
amongst chips.

B



C.B.


AGARICUS (*PSATHYRA*) PENNATUS. Fries.
on scorched ground. Near Bristol.



62

A

10 X 6



R.E.B.

AGARICUS (PSATHYRA) GOSSYPINUS. Bull.
on the ground. King's Cliffe


B



12 X 5

AGARICUS (PSATHYRA) NOLI-TANGERE. Fries.
amongst chips. Sibbertoft.








A

R.E.B.

AGARICUS (PSATHYRA) MICRORHIZUS. Lasch.
in gardens, &c.



B

7 X 4

AGARICUS (PSATHYRA) URTICÆCOLA. B. & P.
on roots of nettle. King's Cliffe.



